



# CHAIN LINK FENCE ENHANCEMENT

## PRODUCTS & FENCE ACCESSORIES

**PEXCO** | 

**Tacoma, WA 98424**

**Athol, MA 01331**

**PHONE**

800.755.SLAT (7528)

**EMAIL**

fence.sales@pexco.com

**PEXCO.COM**



**PEXCO.COM**



## PEXCO FENCE

TACOMA, WA


Serving the western half of the U.S., Canada, Mexico, as well as Asia and Australia.




## PEXCO FENCE

ATHOL, MA

Serving the eastern half of the U.S., Canada, Mexico, South America, Central America as well as Europe and the Middle East.





**For over 40 years, Pexco's PDS<sup>®</sup> Fence Products division has been the leading innovator and manufacturer of chain link fence enhancement products, that add privacy, security and esthetics to new and existing fence systems.** PDS<sup>®</sup> Fence Products are available through most fence distributors and wholesalers in the U.S., Canada and select international locations.

### Materials

Most of our fence products are extruded from either High, Medium or Low Density Prime Polyethylene, color pigments and ultra violet (UV) inhibitors, specifically designed to retard the harmful effects of the sun and lengthen the life of the product.

### Maintenance

Cleaning of most surface contaminants is quickly accomplished with plain water.

### ASTM

Meets ASTM3000 and ASTM3000M specifications.

\*Exact representation of slat colors in printing is difficult. Please refer to actual color samples for final matching. Special colors are available upon request. Minimum quantities apply.

Patents & Trademarks Covered by one or more of the following U.S. Patents and Trademarks: 2,581,523; 2,496,335; 1,418,371; 3,599,684; 4,636,202; 7,207,551; 1,865,283; 1,774,538; 5,285,251; 2,099,134; 1,876,014; 2,451,995; 5,276,498; 5,266,105; 5,315,456; 5,266,110; 5,554,156; 2,184,971; 2,291,967; 5,764,416; D585,572

Covered by one or more of the following Canadian Patents and Trademarks: TMA452,165; TMA442,215; TMA978,855

### Wind Load Disclaimer

Pexco will not be responsible for fence damage resulting from wind load conditions due to insufficient structural support.

### Limited Warranty

Pexco PDS<sup>®</sup> Fence Products carry an extensive, pro-rata warranty against breakage and material degradation under normal conditions. See each product page for years of coverage or write Pexco for full warranty information.

### STANDARD COLORS:<sup>\*</sup>

|       |            |            |
|-------|------------|------------|
| Black | White      | Gray       |
| Beige | Brown      | Redwood    |
| Green | Royal Blue | Light Blue |

### What size PDS<sup>®</sup> fence slats will work in your chain link fence?

Pexco's PDS<sup>®</sup> Fence product line offers a variety of Fence Privacy Slats (Inserts), which fit in different sizes of chain link fencing. We have Fence Slats that fit into the following diamond sizes: 1 $\frac{1}{4}$ ", 2", 2 $\frac{1}{4}$ ", 2 $\frac{3}{8}$ " and 3 $\frac{1}{2}$ " x 5".



Before you order Fence Slats, you must first determine the size of the "diamond" on your fence. This is done by measuring the inside dimensions diagonally in both directions.

**Please note:** The wire gauge (thickness), will affect the fit of our Fence Slats. Each product in this brochure includes a chart to show what size Fence Slat needs to be ordered for the various diamonds and gauge combinations available in the marketplace.

# BOTTOM LOCK FENCE SLATS

Bottom Lock utilizes our innovative bottom locking channel system providing a "snap-in" locking effect for security and deters vandalism at an affordable price.




**Design:** Bottom Lock Slats are flat and tubular in shape, with two "legs" inside the rigid, hollow body of the slat, for extra durability.

**Standard Heights:** 4, 5, 6, 7, 8, 10, and 12 feet. Special heights available upon request.

**Slat Length:** 3½" shorter than the overall height of fence.

**Bottom Locking Channel:** 10 feet provided in each bag.

**Wind Load & Privacy Factor:** Approximately 75%



| SLAT TYPE          | SLAT WIDTH | MESH SIZE        | WIRE GAUGE       | SLATS PER BAG |
|--------------------|------------|------------------|------------------|---------------|
| Bottom Lock 2"     | 1 1/32"    | 2"               | 8, 9 or 11       | 82            |
| Bottom Lock 2 1/4" | 1 1/4"     | 2 1/4" or 2 3/8" | 11 1/2 or 12 1/2 | 78            |
| Bottom Lock 1 3/4" | 7/8"       | 1 3/4"           | 8, 9 or 11       | 100           |

# TOP LOCK FENCE SLATS

Top Lock utilizes a top-locking mechanism located near the top of the slats for easy installation and to ensure a clean, straight edge, enhancing its appearance.



**Design:** Top-Lock Slats are flat and tubular in shape, with circular, notched-out holes located near the top of the slat.

**Standard Heights:** 4, 5, 6, 7, 8, 10 & 12 feet. Special heights available upon request.

**Slat Length:** 2" shorter than the overall height of the fence.

**Top Locking Channel:** 10 feet provided in each bag.

**Wind Load & Privacy Factor:** Approximately 75%



| SLAT TYPE       | SLAT WIDTH | MESH SIZE        | WIRE GAUGE       | SLATS PER BAG |
|-----------------|------------|------------------|------------------|---------------|
| Top Lock 2"     | 1 3/32"    | 2"               | 8, 9 or 11       | 82            |
| Top Lock 2 1/4" | 1 1/4"     | 2 1/4" or 2 3/8" | 11 1/2 or 12 1/2 | 78            |
| Top Lock 1 3/4" | 7/8"       | 1 3/4"           | 8, 9 or 11       | 100           |

# WINGED SLAT® EXTRA PRIVACY FENCE SLATS

With the proven quality and durability of our standard slats, plus unique flexible "wings" for extra screening and security, Winged Slats® are self-locking - no locking channels are needed!



**Design:** Our innovative Winged Slat has a rigid, flat tubular body, with "legs" inside for extra support and durability. Flexible and resilient wing portions are positioned on each side of the slat body. Serrations are added to the wings for easier installation and locking power.

**Standard Heights:** 4, 5, 6, 7 and 8 feet.

**Slat Length:** 2" shorter than the overall height of the fence.

**Wind Load & Privacy Factor:** Approximately 90%. (Based on wire/mesh used – stretch tension).



| SLAT TYPE    | SLAT WIDTH | MESH SIZE | WIRE GAUGE | SLATS PER BAG |
|--------------|------------|-----------|------------|---------------|
| Winged Slat® | 1 3/8"     | 2"        | 9 only     | 82            |

# FINLINK® EXTRA PRIVACY FENCE SLATS

The FinLink® slat offers extra screening and security with a unique configuration of (3) three privacy fins.



**Design:** Our unique innovative design includes a rigid, flat tubular body, with "a leg" inside for extra support. Three flexible fins (two on one side and one on the other) are positioned on the side of the slat body. The FinLink fins are not serrated, thus providing a smooth finished look.

**Standard Heights:** 4, 5, 6, 7, and 8 feet.

**Slat Length:** 3 1/2" shorter than the overall height of fence.

**Bottom Locking Channel:** 10 feet provided in each bag.

**Wind Load & Privacy Factor:** Approximately 90%



| SLAT TYPE | SLAT WIDTH | MESH SIZE | WIRE GAUGE        | SLATS PER BAG |
|-----------|------------|-----------|-------------------|---------------|
| FinLink®  | 1 3/8"     | 2"        | 11, 11 1/2, or 12 | 82            |

# FEATHER LOCK® FENCE SLATS

With the proven quality and durability of our standard slats plus a unique design feature at the top which gives extra screening and makes this slat self-locking.



**Design:** Feather Lock® Slat has a rigid, flat-tubular body, with one "leg" inside the hollow, rigid body of the slat for extra support. This Slat comes with our unique, innovative self-locking "feather" design section, only at the top of the slat which holds it in place and creates extra screening at the top of the fence. This "feather" design-feature varies in length, from 11½" to 17½", depending on the overall height of the Slat.

**Standard Heights:** 4, 5, 6, 7, 8, 10, & 12 feet.

**Slat Length:** 1½" shorter than the overall height of fence.

**Wind Load & Privacy Factor:** Approximately 75%



SLAT PROFILE:



| SLAT TYPE        | SLAT WIDTH | MESH SIZE | WIRE GAUGE    | SLATS PER BAG |
|------------------|------------|-----------|---------------|---------------|
| Feather Lock® 2" | 1½"        | 2"        | 9, 11, or 11½ | 82            |

# HEDGELINK® EXTRA PRIVACY FENCE SLATS

HedgeLink® is our most premium and unique chain link fence enhancement product, which creates a natural green hedge look that requires no maintenance and offers almost complete privacy.



**Design:** The HedgeLink® core is made with a strong, rigid 16-gauge galvanized, braided wire. Blue Spruce colored 3-mil PVC needles are embossed for an extra plush effect.

**Standard Heights:** 4, 5, 6, 7, and 8 feet

**Fence Sizes:** For most Chain Link Fence sizes. Not intended for use with mini-mesh or 3½" x 5" fence fabric.

**Features:** UV stabilized to protect against the harmful rays of the sun. Flame retardant.

**Wind Load & Privacy Factor:** Approximately 95%



| SLAT TYPE  | MESH SIZE     | WIRE GAUGE   | SLATS PER BOX | APPROX. COVERAGE PER BOX |
|------------|---------------|--------------|---------------|--------------------------|
| HedgeLink® | 2, 2½" or 2¾" | 9, 11 or 11½ | 82            | 10 linear ft             |

# LITELINK® FENCE SLATS

LiteLink® is a single wall "M" shaped slat that gives visual screening and color enhancement at our most affordable price. It also uses our innovative Bottom-Locking Channel system.



**Design:** Compact and lightweight, LiteLink's unique shape enables the slat to self stack. It comes in a box (2" x 5" x slat length) making it easy to ship and efficient to store.

**Standard Heights:** 4, 5, 6, 7, 8, 10, and 12 feet. Special heights available upon request.

**Slat Length:** 3½" shorter than the overall height of fence.

**Bottom Locking Channel:** 10 feet provided in each bag.

**Wind Load & Privacy Factor:** Approximately 75%



| SLAT TYPE | SLAT WIDTH | MESH SIZE       | WIRE GAUGE    | SLATS PER BAG |
|-----------|------------|-----------------|---------------|---------------|
| LiteLink® | 1¼"        | 2", 2½", or 2¾" | 9, 11, or 11½ | 82            |

# FENCE WEAVE®

Fence Weave® is the do-it-yourself solution for homeowners looking to easily turn their ordinary chain link fence into an attractive and efficient privacy enclosure.



**Design:** Fence Weave® is produced with flexible polyethylene extrusion (LDPE) and available in a wide range of attractive colors.

**Standard Heights:** Fence Weave Width 1.875" x Thickness .024" x Length. Each roll is 250' long and covers 40 square feet of fence.

**Wind Load & Privacy Factor:** Approximately 75%

**Fence Weave Roll Calculator:** To determine how many rolls are needed follow this easy formula:

Height of Fence x Length of Fence divided by 40 = # of rolls of Fence Weave (Example: 4' x 50' / 40 = 5 rolls).

**Packaging:** Each Fence Weave® roll comes in a full color box and includes solid brass fasteners for installation.



| SLAT TYPE    | SLAT WIDTH | MESH SIZE       | WIRE GAUGE        | APPROX. COVERAGE PER BOX |
|--------------|------------|-----------------|-------------------|--------------------------|
| Fence Weave® | 1⅞"        | 2", 2⅓", or 2⅔" | 9, 11, 11½ or 12½ | 40 sq ft                 |

# INDUSTRIAL PRE-WOVEN FENCE SLATS

Industrial Pre-Woven is a standard styled slat that is mechanically inserted into the chain link wire fabric during the weaving process. Once inserted, the wire is finished above and below the slat (either bow-knuckle or knuckle-over).



**Design:** Industrial Pre-Woven Slats are flat and tubular in shape, with three "legs" inside the hollow body of the slat, for extra durability.

**Standard Heights:** 4, 5, 6, 8, 10 & 12 feet. Special heights available upon request.

**Wind Load & Privacy Factor:** Approximately 75%

**Upon Special Request:** Available in bags that cover 25 linear feet for smaller jobs.



SLAT PROFILE:



| SLAT TYPE  | SLAT WIDTH | MESH SIZE   | WIRE GAUGE | SLATS PER CRATE        | COVERAGE PER CRATE               |
|------------|------------|-------------|------------|------------------------|----------------------------------|
| Industrial | 2 3/8"     | 3 1/2" x 5" | 9 or 10    | 2,014 (106 pieces/bag) | 475 linear ft (25 linear ft/bag) |

**Note:** Pexco is the manufacturer of the slats only. We do not weave the wire. For pre-woven products, please contact your fence supplier or contact us for a supplier near you.

# FIN2000® PRE-WOVEN EXTRA PRIVACY FENCE SLATS

Fin2000® Pre-Woven is a premium style slat with innovative "fins" that give extra screening and security. This slat is mechanically inserted into the chain link wire fabric during the weaving process. Once inserted, the wire is finished above and below the slat (either bow-knuckled or knuckle-over).



**Design:** FIN2000® Pre-Woven Slats are flat and tubular in shape, with two "legs" inside the rigid, hollow body of the slat, for extra support. These slats also have strong unique fins positioned on each side of the slat body, for extra screening and security.

**Standard Heights:** 4, 5, 6, 7, 8, 10 & 12 feet. Special heights available upon request.

**Wind Load & Privacy Factor:** Approximately 90%

**Upon Special Request:** Available in bags that cover 25 linear feet for smaller jobs.



SLAT PROFILE:



| SLAT TYPE | SLAT WIDTH | MESH SIZE   | WIRE GAUGE | SLATS PER CRATE        | COVERAGE PER CRATE               |
|-----------|------------|-------------|------------|------------------------|----------------------------------|
| Fin2000®  | 2 13/16"   | 3 1/2" x 5" | 9 or 10    | 2,544 (106 pieces/bag) | 600 linear ft (25 linear ft/bag) |

**Note:** Pexco is the manufacturer of the slats only. We do not weave the wire. For pre-woven products, please contact your fence supplier or contact us for a supplier near you.

**PEXCO**

# SAFETY TOP CAP™


Safety Top Cap™, our premium protection product, serves two purposes. The unique design provides protection against bodily injury by covering the exposed knuckles or barbs on top of chain link fences. It also increases visibility of the fence for player safety, while acting as a decorative trim piece to enhance any galvanized or colored chain link fence system.



15  
YEAR  
LIMITED  
WARRANTY\*\*

**Design:** Durable and flexible plastic in a large unique tubular shape allows the Safety Top Cap™ to fit securely over the fence's top rail while providing an appealing flat surface on the front of the fence.

**Multiple Uses:** Primarily used in our safety yellow color for baseball outfields. This product is also growing in popularity at athletic fields, parks, playgrounds, and recreational facilities throughout the country.



COLORS:



| CAP HEIGHT | CAP WIDTH | CAP LENGTH | CONTENTS PER BAG            | APPROX. COVERAGE PER BOX | BAG WEIGHT |
|------------|-----------|------------|-----------------------------|--------------------------|------------|
| 5½"        | 2¾"       | 8'         | 5 Top Caps,<br>15 Hog Rings | 40 linear ft             | 20 lbs     |

Safety Yellow is our standard (stocking) color, however, Safety Top Cap™ & Safety Top Cap-LITE™ can also be special ordered in our standard fence slat colors and Scarlet Red upon request - minimum order quantities apply.

# SAFETY TOP CAP-LITE™


Safety Top Cap-LITE™ is a lighter and more affordable version of our premium Safety Top Cap™, with a teardrop shape. It provides protection against bodily injury by covering the exposed knuckles or barbs on top of a chain link fence. It also increases visibility of the fence for player safety, while acting as a decorative trim piece to enhance any galvanized or colored chain link fence system.



15  
YEAR  
LIMITED  
WARRANTY\*\*

**Design:** Durable and flexible plastic in an open tubular teardrop shape.

**Multiple Uses:** Primarily used in our safety yellow color for baseball outfields. This product is also growing in popularity at athletic fields, parks, playgrounds, and recreational facilities throughout the country.



COLORS:




| CAP HEIGHT | CAP WIDTH | CAP LENGTH | CONTENTS PER BAG            | APPROX. COVERAGE PER BOX | BAG WEIGHT |
|------------|-----------|------------|-----------------------------|--------------------------|------------|
| 4"         | 2½"       | 8'         | 10 Top Caps,<br>40 Zip Ties | 80 linear ft             | 20 lbs     |

**PEXCO**

# REFLECTIVE FENCE INSERTS

Reflective Fence Inserts are designed for gates and sections of chain link fence where visibility is critical, especially at night.



**Design:** White Rigid PVC strips laminated with highly reflective, abrasion resistant, weatherproof tape. Each strip is 1.25" wide x .080" thick x 48" long. Longer lengths may be special ordered upon request – minimum quantities apply.

**Multiple Uses:** Reflective Fence Inserts are well suited for airports, hospitals, schools, commercial facility entranceways, temporary construction sites, residential driveways or keeping vehicular traffic away from any fenced-in area. Directional cues for drivers can be achieved by installing the Inserts diagonally in a chain link fence panel or gate in the shape of arrows.


## Packaging:

Packaged in convenient poly-wrapped sets of 10 inserts per color (10-pack)

Packed (4) four 10-packs per box (total 40 inserts)

Minimum order is one box (40 inserts) – may combine colors in groups of 10

Box size is 2" high x 5" wide x 50" long by 11 lbs weight



## COLORS:

### REFLECTIVE

GOLD,  
SILVER  
AND RED

# FENCE VISIBILITY MARKERS

Pexco's Fence Visibility Markers drastically reduce strikes and collisions with wire fences. Initially designed for the protection of Sage Grouse in the West, uses for the markers have grown across the country to guard against accidents with fences and motorcycles, ATVs, snowmobiles, as well as other outdoor recreational vehicles.



## Better Design:

Open socket on top edge allows the marker to flutter effortlessly in a breeze.

## Easy Application:

The upturned lip allows for quick "snap-on" installation.

## Faster Installation:

More miles can be installed with less effort.



## Increased Visibility of Fence:

Without being visually objectionable to landowners.

## Affordable:

Markers are cost-effective enough to mark many miles of fence line.

## UV Stabilized and Durable:

Providing years of worry-free service in the field.

## COLORS:

### REFLECTIVE:

WHITE • BLACK

### NON-REFLECTIVE:

WHITE • BLACK

Fluorescent yellow-green, yellow, and orange


reflective sheeting

increases visibility in low

light and winter conditions.

# AMERICAN FLAG KIT

The American Flag Kit can be easily installed in most chain link fences. It's a great way to display the stars and stripes at home, school or office.



## Design:

The American Flag Kit utilizes Red, White, and Blue non-serrated Winged Slats® pre-cut to the appropriate lengths for this kit. Two sheets containing 100 self-adhering stars are also included. Box size is 4" x 4" x 72".

## Mesh Size:

2" (recommended to minimize spaces between slats).

## Finish Size:

When installed, the flag is 4' x 6' wide.



SLAT PROFILE:

| SLAT TYPE | SLAT WIDTH | MESH SIZE | WIRE GAUGE | ACTUAL FLAG SIZE | BOX WEIGHT |
|-----------|------------|-----------|------------|------------------|------------|
| Flag Kit  | 1 1/4"     | 2"        | 9 or 11    | 4' x 6'          | 6 lbs      |

# CORPORATE IDENTITY PROGRAM

Pexco's PDS® Fence Slats can be supplied in your specific custom colors, defining your brand at your facility or location, utilizing existing chain link fence or a new installation. In this way you not only secure and enhance your business or institutional property, but further promote and identify your branded corporate or institutional presence.



**Multiple Uses:** Millions of dollars are spent every year to market a corporate or institutional image. Color is usually an integral part of the marketing mix and is a means by which a customer can identify a company and a product line or a University and their athletic team's colors. Take for example UPS' brown & gold; McDonald's golden arches; Target's red bulls-eye; Harley Davidson's black and orange; the green-orange-purple of FedEx; Notre Dame's gold and blue. At once you tie color to a name, brand, product line or athletic heritage.

**Special Colors:** Any custom color can be matched with UV Inhibitor to retard the harmful effects of the Sun. Minimum order quantities apply.



To help market, promote and sell our Fence Products, the marketing displays shown above are available at no charge for our authorized distributors:

Spinner Counter Display to hold Fence product sample kits

PDS® Fence "Slim Jim" Brochure counter display/holder



THE CONTRACTOR'S  
CHOICE FOR OVER  
**40 YEARS**

